Professional Services Fee Schedule CPT® Category II and III

| | | DOLLAF | DOLLAR VALUE | | | MODIFIERS | | | | | | | | |
|--------------------------|------------------------------|-------------------------|-----------------------|-----------|-----------------|-------------------|------------------|-----------------|--------------|--------------|--------------|--------------|--------------|------------------|
| CPT [®] CODE | ABBREVIATED DESCRIPTION | NON-FACILITY SETTING | Y FACILITY SETTING | FOL UP | PRE OP (-56) | INTRA OP (-54) | POST OP (-55) | PCTC (26/TC) | MSI (-51) | BSI (-50) | ASI (-80) | CSI (-62) | TSI (-66) | ENDO BASE FSI |
| 0001T | Endovas repr abdo ao aneurys | \$1,711.63 | \$1,711.63 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | F |
| 0002T | Endovas repr abdo ao aneurys | \$1,711.63 | \$1,711.63 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | F |
| 0003T | Cervicography | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | Х |
| 0005T | Perc cath stent/brain cv art | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| 0006T | Perc cath stent/brain cv art | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| 0007T | Perc cath stent/brain cv art | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| T8000 | Upper gi endoscopy w/suture | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0009T | Endometrial cryoablation | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0010T | Tb test, gamma interferon | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0012T | Osteochondral knee autograft | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| 0013T | Osteochondral knee allograft | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| 0014T | Meniscal transplant, knee | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| 0016T | Thermotx choroid vasc lesion | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | N |
| 0017T | Photocoagulat macular drusen | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 1 | 0 | 0 | 0 | X |
| 0018T | Transcranial magnetic stimul | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0019T | Extracorp shock wave tx, ms | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 9 | 9 | 9 | 9 | 9 | 9 | X |
| 0020T | Extracorp shock wave tx, ft | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0021T | Fetal oximetry, trnsvag/cerv | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0023T | Phenotype drug test, hiv 1 | \$503.57 | \$503.57 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | F |
| 0024T | Transcath cardiac reduction | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0025T | Ultrasonic pachymetry | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0026T | Measure remnant lipoproteins | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0027T | Endoscopic epidural lysis | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0028T | Dexa body composition study | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0029T | Magnetic tx for incontinence | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0030T | Antiprothrombin antibody | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0031T | Speculoscopy | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | Х |
| 0032T | Speculoscopy w/direct sample | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | X |
| 0033T | Endovasc taa repr incl subcl | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0034T | Endovasc taa repr w/o subcl | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0035T | Insert endovasc prosth, taa | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0036T | Endovasc prosth, taa, add-on | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0037T | Artery transpose/endovas taa | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0038T | Rad endovasc taa rpr w/cover | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0039T | Rad s/i, endovasc taa repair | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0040T | Rad s/i, endovasc taa prosth | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0041T | Detect ur infect agnt w/cpas | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |
| 0042T | Ct perfusion w/contrast, cbf | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | N |

Washington State Department of Labor & Industries Professional Services Fee Schedule

CPT Category II and III Effective August 1, 2003

| | | DOLLAR VALUE | | | MODIFIERS | | | | | | | | | | |
|-------|---------------------------------------|--------------|-------------|-----|-----------|----------|---------|---------|-------|-------|-------|-------|-------|-------------|-----|
| CPT® | | NON-FACILITY | Y FACILITY | FOL | PRE OP | INTRA OP | POST OP | PCTC | MSI | BSI | ASI | CSI | TSI | ENDO | |
| CODE | ABBREVIATED DESCRIPTION | SETTING | SETTING | UP | (-56) | (-54) | (-55) | (26/TC) | (-51) | (-50) | (-80) | (-62) | (-66) | BASE | FSI |
| 0043T | Co expired gas analysis | By Report | By Report | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | | N |
| 0044T | Whole body photography | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0 | 0 | 0 | | Χ |
| 0045T | Whole body integumentary photo | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | X |
| 0046T | Catheter lavage, single duct | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | X |
| 0047T | Catheter lavage, each addl duct | Not Covered | Not Covered | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | Χ |
| 0048T | Impl of ventricular assist device | By Report | By Report | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | Ν |
| 0049T | Ventricular assist device | By Report | By Report | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | N |
| 0050T | Ventricular assist device removal | By Report | By Report | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | N |
| 0051T | Artificial heart implantation | By Report | By Report | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | N |
| 0052T | Artificial heart repair thoracic unit | By Report | By Report | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | Ν |
| 0053T | Artificial heart repair components | By Report | By Report | 0 | 0% | 0% | 0% | 9 | 0 | 0 | 0 | 0 | 0 | | N |